

## 单带通滤波片 (SINGLE-BAND FILTERS)

Our ULTRA Series bandpass optical filters are designed with steep edges, high transmission, and up to OD10 blocking by design. They are ideal for fluorescence microscopy, flow cytometry, fluorescence imaging, and many other applications. Our standard OD4 bandpass filters are also available. These offer both greater than 90% transmission and greater than OD4 blocking at prices that are comparable to laminated filters.

我们的ULTRA系列带通光学滤光片设计具有陡峭的边缘，高传输，高达OD10的阻塞设计。它们是荧光显微镜，流式细胞术，荧光成像和许多其他应用的理想选择。我们也提供标准的OD4带通滤波片。这些滤波片提供了超过90%的传输和大于OD4的阻塞，价格却与层压滤波片相当。

滤光片型号 (Model)	中心波长 (nm)	半峰宽 (nm) FWHM	透射频带 Transmission Band	屏蔽等级 Blocking Level	直径尺寸 (mm)	滤光片厚度 (mm)	材质 (Substrate Type)	装配类型	组装厚度 (mm)	价格
310-10 OD4 Bandpass Filter	310 ±2.0	10 ±2.0	Peak >70% T Absolute	OD4:200-295nm, 325-1200nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,948.00
330-95 OD4 Bandpass Filter	330 ±6.0	95 ±6.0	87nm >70% T Average	OD4:200-270nm, 405-650nm	25	1.75	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
332-22 OD6 ULTRA Bandpass Filter	332 ±1.0	22	324-340nm >85% T Average	OD6:250-311nm, 354-400nm; OD5:400-450nm OD4:450-850nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
369.5-39 OD6 ULTRA Bandpass Filter	369.5 ±1.0	39	352-387nm >95% T Average	OD6:250-342nm, 394-800nm; OD2:800-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
375-10 OD4 Bandpass Filter	375 ±2.0	10 ±2.0	Peak >85% T Absolute	OD4:200-360nm, 390-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,948.00
377-50 OD6 Bandpass Filter	377 ±3.0	50	355-399nm >93% T Average	OD6:200-344nm, 417-477nm; OD4:477-700nm OD2:700-925nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00

385.5-28 OD6 ULTRA Bandpass Filter	385.5 ±1.0	28	374-397nm >95% T Average	OD6:325-360nm, 410-510nm; OD5:300-325nm, 510-700nm; OD2:700-1000nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
389-24 OD6 ULTRA Bandpass Filter	389 ±1.5	24	379-401nm >95% T Average	OD6:330-370nm, 408-470nm; OD5:200-330nm, 470-1000nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
395-24 OD6 ULTRA Bandpass Filter	395 ±1.5	24	385-405nm >95% T Average	OD6:300-369nm, 421-700nm; OD4:700-800nm; OD2:800-950nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
400-10 OD4 Bandpass Filter	400 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-385nm, 415-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
405-10 OD4 Bandpass Filter	405 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-390nm, 420-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
413-10 OD4 Bandpass Filter	413 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-400nm, 430-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
420-10 OD4 Bandpass Filter	420 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-405nm, 435-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
425-50 OD4 Bandpass Filter	425 ±5.0	50 ±5.0	45nm >90% T Average	OD4:200-390nm, 460-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
430-10 OD4 Bandpass Filter	430 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-415nm, 445-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00

430-41 OD6 ULTRA Bandpass Filter	430 ±1.5	41	412-448nm >95% T Average	OD6:300-399nm, 461-900nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
434-20 OD6 Bandpass Filter	434 ±3.0	20	426-442nm >93% T Average	OD6:200-405nm, 458-1000nm; OD3:405-410nm, 453-458nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
434-20 OD6 ULTRA Bandpass Filter	434 ±1.5	20	426-442nm >95% T Average	OD6:200-410nm, 453-1000nm; OD3:1000-1100nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
438-29 OD6 ULTRA Bandpass Filter	438 ±1.5	29	425-452nm >95% T Average	OD6:250-415nm, 460-600nm; OD5:600-720nm; OD4:720-920nm; OD3:920-1000nm; OD2:1000-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
440-10 OD4 Bandpass Filter	440 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-425nm, 455-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
447-60 OD6 Bandpass Filter	447 ±3.0	60	420-474nm >93% T Average	OD6:403-407nm; OD5:350-407nm, 485-700nm; OD3:700-950nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
448-63 OD6 ULTRA Bandpass Filter	448 ±1.5	63	419-476nm >95% T Average	OD6:350-410nm, 486-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00

450-10 OD4 Bandpass Filter	450 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-435nm, 465-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
460-10 OD4 Bandpass Filter	460 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-445nm, 475-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
466-44 OD6 ULTRA Bandpass Filter	466 ±1.5	44	446-486nm >95% T Average	OD6:200-435nm, 497-670nm; OD3:670-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
470-10 OD4 Bandpass Filter	470 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-455nm, 485-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
472-32 OD6 ULTRA Bandpass Filter	472 ±1.5	32	458-486nm >95% T Average	OD6:250-442nm, 498-775nm; OD4:775-925nm; OD2:925-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
473-27 OD6 ULTRA Bandpass Filter	473 ±1.5	27	462-484nm >95% T Average	OD6:526-700nm; OD5:200-441.5nm, 492-526nm; OD3:700-900nm; OD2:900-1100nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
475-24 OD6 ULTRA Bandpass Filter	475 ±1.5	24	465-485nm >95% T Average	OD6:300-453nm, 497-700nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
475-28 OD6 ULTRA Bandpass Filter	475 ±1.5	28	463-487nm >95% T Average	OD6:300-449nm, 502-700nm; OD3:700-950nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00

475-34 OD6 ULTRA Bandpass Filter	475 ±1.5	34	461-489nm >95% T Average	OD6:300-440nm, 500-700nm; OD4:700-900nm; OD3:900-1000nm; OD2:1000-1100nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
477-31 OD6 Bandpass Filter	477 ±3.0	31	464-490nm >93% T Average	OD6:300-451nm, 503-710nm; OD5:300-451nm, 503-710nm	25	2.00	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
480-10 OD4 Bandpass Filter	480 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-465nm, 495-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
483-40 OD6 ULTRA Bandpass Filter	483 ±1.5	40	465-501nm >95% T Average	OD6:300-450nm, 507-850nm; OD4:850-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
483.5-25 OD6 ULTRA Bandpass Filter	483.5 ±1.5	25	473-494nm >95% T Average	OD6:300-463nm, 504-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
485-24 OD6 ULTRA Bandpass Filter	485 ±1.5	24	475-495nm >95% T Average	OD6:300-460nm, 510-800nm; OD5:800-1000nm; OD4:1000-1100nm; OD3:1100-1200nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
488-10 OD4 Bandpass Filter	488 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-473nm, 503-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
492-10 OD4 Bandpass Filter	492 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-477nm, 507-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
494-21 OD6 ULTRA Bandpass Filter	494 ±1.5	21	485-503nm >95% T Average	OD6:300-473nm, 518-680nm; OD4:680-750nm; OD2:750-1150nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00

500-10 OD4 Bandpass Filter	500 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-485nm, 515-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
500-20 OD6 ULTRA Bandpass Filter	500 ±1.5	20	492-508nm >95% T Average	OD6:250-479nm, 522-850nm; OD5:850-1050nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
500-25 OD4 Bandpass Filter	500 ±3.0	25 ±3.0	20nm >90% T Average	OD4:200-447nm, 523-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
500-30 OD6 Bandpass Filter	500 ±3.0	30	488-512nm >93% T Average	OD6:250-473nm, 525-670nm; OD4:670-980nm; OD2:980-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
510-10 OD4 Bandpass Filter	510 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-495nm, 525-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
513-22 OD6 ULTRA Bandpass Filter	513 ±1.5	22	504-522nm >95% T Average	OD6:400-492nm, 534-700nm; OD5:200-400nm, 700-750nm; OD2:750-900nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
513-29 OD6 ULTRA Bandpass Filter	513 ±1.5	29	501-525 >95% T Average	OD6:350-495nm, 531-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
520-10 OD4 Bandpass Filter	520 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-505nm, 535-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
520-40 OD6 ULTRA Bandpass Filter	520 ±1.5	40	502-538nm >95% T Average	OD6:250-488nm, 435-488nm, 560-700nm; OD5:700-925nm; OD2:925-1025nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00

521.5-35 OD6 ULTRA Bandpass Filter	521.5 ±1.5	35	506-537nm >95% T Average	OD6:350-499nm, 544-900nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
524-32 OD6 ULTRA Bandpass Filter	524 ±1.5	32	510-538nm >95% T Average	OD6:300-498nm, 550-800nm; OD4:800-1000nm; OD2:1000-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
525-50 OD6 ULTRA Bandpass Filter	525 ±1.5	50	502.5-547.5nm >95% T Average	OD6:200-490nm, 561-745nm; OD3:745-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
526-23 OD7 ULTRA Bandpass Filter	526 ±1.5	23	517-535nm >95% T Average	OD7:350-510nm, 542-925nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
526-52 OD6 ULTRA Bandpass Filter	526 ±1.5	52	503-549nm >95% T Average	OD6:300-498nm, 554-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
527-22 OD6 ULTRA Bandpass Filter	527 ±1.5	22	518-536nm >95% T Average	OD6:250-511nm, 544-750nm; OD5:750-925nm; OD3:925-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
528-47 OD6 ULTRA Bandpass Filter	528 ±1.5	47	507-549nm >95% T Average	OD6:300-494nm, 562-710nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
531.5-39 OD6 Bandpass Filter	531.5 ±3.0	39	515-548nm >93% T Average	OD6:360-400nm, 400-496nm, 564-850nm; OD3:300-360nm, 850-1000nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
532-10 OD4 Bandpass Filter	532 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-517nm, 547-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00

534-23 OD6 ULTRA Bandpass Filter	534 ±1.5	23	525-543nm >95% T Average	OD6:300-510nm, 555-725nm; OD5:250-300nm, 725-930nm; OD2:930-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
538-47 OD6 ULTRA Bandpass Filter	538 ±1.5	47	517-559nm >95% T Average	OD6:300-507nm, 450-507nm, 570-850nm; OD4:850-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
540-10 OD4 Bandpass Filter	540 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-525nm, 555-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
540-20 OD6 ULTRA Bandpass Filter	540 ±1.5	20	532-548nm >95% T Average	OD6:250-524nm, 557-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
544-33 OD6 Bandpass Filter	544 ±3.0	33	530-558nm >93% T Average	OD6:380-519nm, 567-770nm; OD5:380-519nm, 567-770nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
544.5-23 OD6 ULTRA Bandpass Filter	544.5 ±1.5	23	535-554nm >95% T Average	OD6:300-520nm, 563-1100nm, 563-800nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
546-22 OD6 ULTRA Bandpass Filter	546 ±1.5	22	537-555nm >95% T Average	OD6:350-533nm, 559-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
549-21 OD6 ULTRA Bandpass Filter	549 ±1.5	21	541-557nm >95% T Average	OD6:300-526nm, 571-800nm; OD3:800-1200nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
550-10 OD4 Bandpass Filter	550 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-535nm, 565-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00



560-10 OD4 Bandpass Filter	560 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-545nm, 575-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
560-32 OD6 Bandpass Filter	560 ±3.0	32	546-574nm >95% T Average	OD6:589.5-623.5nm; OD5:250-531nm, 623.5-925nm; OD2:925-1100nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
560-32 OD6 ULTRA Bandpass Filter	560 ±1.5	32	546-574nm >95% T Average	OD6:500-531nm, 589-670nm; OD5:250-500nm, 670-925nm; OD2:925-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
560-40 OD7 ULTRA Bandpass Filter	560 ±1.5	40	542-578nm >95% T Average	OD7:250-532nm, 589-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
562.5-35 OD6 ULTRA Bandpass Filter	562.5 ±1.5	35	547-578nm >95% T Average	OD6:350-541nm, 585-900nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
568-10 OD4 Bandpass Filter	568 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-553nm, 583-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
571-26 OD6 ULTRA Bandpass Filter	571 ±1.5	26	560-582nm >95% T Average	OD6:370-555nm, 588-775nm; OD5:775-870nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
572-30 OD6 ULTRA Bandpass Filter	572 ±2.0	30	559-585nm >95% T Average	OD6:250-547nm, 597-925nm; OD2:925-1120nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
575-29 OD6 ULTRA Bandpass Filter	575 ±1.5	29	564-586nm >95% T Average	OD6:300-551nm, 599-925nm; OD4:925-1200nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00

575-32 OD6 ULTRA Bandpass Filter	575 ±1.5	32	562-588nm >95% T Average	OD6:300-546nm, 604-800nm; OD5:800-925nm; OD4:925-1200nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
576-23 OD6 ULTRA Bandpass Filter	576 ±1.5	23	567-585nm >95% T Average	OD6:350-562nm, 591-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
580-10 OD4 Bandpass Filter	580 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-565nm, 595-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
583-28 OD6 ULTRA Bandpass Filter	583 ±1.5	28	571-594nm >95% T Average	OD6:480-564nm, 604-680nm; OD4:350-480nm; OD3:680-950nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
586-25 OD6 ULTRA Bandpass Filter	586 ±1.5	25	57-596nm >95% T Average	OD6:300-561nm, 610-780nm; OD4:250-300nm, 780-930nm; OD2:930-1120nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
588-45 OD6 Bandpass Filter	588 ±3.0	45	568-608nm >93% T Average	OD6:300-555nm, 621-900nm; OD5:300-555nm, 621-900nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
589-10 OD4 Bandpass Filter	589 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-574nm, 604-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
595-50 OD6 ULTRA Bandpass Filter	595 ±1.5	50	572-618nm >95% T Average	OD6:300-563nm, 635-800nm; OD4:800-1000nm; OD2:1000-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00

600-10 OD4 Bandpass Filter	600 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-585nm, 615-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
604-50 OD6 ULTRA Bandpass Filter	604 ±2.0	50	582-626nm >95% T Average	OD6:300-569nm, 640-900nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
607-40 OD6 Bandpass Filter	607 ±3.0	40	590-624nm >93% T Average	OD6:250-574nm, 647-925nm; OD2:940-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
610-10 OD4 Bandpass Filter	610 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-595nm, 625-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
612-36 OD7 ULTRA Bandpass Filter	612 ±2.0	36	596-628nm >95% T Average	OD7:250-589nm, 589nm, 635-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
614-26 OD6 ULTRA Bandpass Filter	614 ±2.0	26	603-625nm >95% T Average	OD6:350-597nm, 631-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
614-54 OD6 ULTRA Bandpass Filter	614 ±2.0	54	590-638nm >95% T Average	OD6:350-580nm, 647-875nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
620-10 OD4 Bandpass Filter	620 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-605nm, 635-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
620-31 OD6 ULTRA Bandpass Filter	620 ±2.0	31	607-633nm >95% T Average	OD6:350-602nm, 639-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00

622-25 OD6 ULTRA Bandpass Filter	622 ±2.0	25	612-632nm >95% T Average	OD6:350-605nm, 639-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
622-36 OD6 ULTRA Bandpass Filter	622 ±2.0	36	606-638nm >95% T Average	OD6:360-588nm, 656-750nm, 750-850nm; OD3:300-360nm, 850-1000nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
622-40 OD6 ULTRA Bandpass Filter	622 ±2.0	40	605-639nm >95% T Average	OD6:200-593nm, 651-850nm; OD3:850-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
625-32 OD6 ULTRA Bandpass Filter	625 ±2.0	32	611-639nm >95% T Average	OD6:300-599nm, 649-900nm; OD5:300-599nm, 649-900nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
625-45 OD6 ULTRA Bandpass Filter	625 ±2.0	45	605-645nm >95% T Average	OD6:300-592nm, 660-800nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
628-37 OD6 ULTRA Bandpass Filter	628 ±2.0	37	612-644nm >95% T Average	OD6:250-598nm, 659-925nm; OD3:925-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
632-10 OD4 Bandpass Filter	632 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-617nm, 647-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
632-22 OD6 ULTRA Bandpass Filter	632 ±2.0	22	623-641nm >95% T Average	OD6:300-607nm, 657-850nm; OD4:850-925nm; OD2:925-1100nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
635-22 OD6 ULTRA Bandpass Filter	635 ±2.0	22	626-644nm >95% T Average	OD6:300-610nm, 660-850nm; OD4:850-925nm; OD2:925-1100nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00

640-10 OD4 Bandpass Filter	640 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-625nm, 655-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
640-19 OD6 ULTRA Bandpass Filter	640 ±2.0	19	633-647nm >95% T Average	OD6:250-625nm, 655-925nm; OD2:925-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
640-77 OD6 Bandpass Filter	640 ±3.5	77	605-675nm >93% T Average	OD6:542-582nm; OD5:490-592nm, 696-925nm; OD2:400-490nm, 925-1050nm; OD1:1050-1100nm, 200-400nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
647-10 OD4 Bandpass Filter	647 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-632nm, 662-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
650-10 OD4 Bandpass Filter	650 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-635nm, 665-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
650-20 OD6 ULTRA Bandpass Filter	650 ±2.0	20	642-658nm >95% T Average	OD6:300-629nm, 671-925nm; OD3:925-1100nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
652.5-15 OD6 ULTRA Bandpass Filter	652.5 ±2.0	15	647-658nm >95% T Average	OD6:510-637nm, 668-750nm; OD5:200-510nm, 750-1020nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
660-10 OD4 Bandpass Filter	660 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-645nm, 675-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
664-24 OD6 ULTRA Bandpass Filter	664 ±2.0	24	654-674nm >95% T Average	OD6:350-649nm, 679-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00

666-33 OD6 ULTRA Bandpass Filter	666 ±2.0	33	652-680nm >95% T Average	OD6:350-640nm, 689-800nm; OD5:800-850nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
668.5-30 OD6 ULTRA Bandpass Filter	668.5 ±2.0	30	656-681nm >95% T Average	OD6:360-575nm, 575-636nm, 699-850nm; OD3:300-360nm, 850-1000nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
671-10 OD4 Bandpass Filter	671 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-656nm, 686-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
677-23 OD6 Bandpass Filter	677 ±3.5	23	668-686nm >93% T Average	OD6:360-648nm, 703-800nm, 800-850nm; OD3:300-360nm, 850-1000nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
680-10 OD4 Bandpass Filter	680 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-665nm, 695-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
680-30 OD6 ULTRA Bandpass Filter	680 ±2.0	30	668-693nm >95% T Average	OD6:300-650nm, 710-900nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
683-39 OD6 ULTRA Bandpass Filter	683 ±2.0	39	666-700nm >95% T Average	OD6:300-653nm, 714-775nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
690-10 OD4 Bandpass Filter	690 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-675nm, 705-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00

692-46 OD6 ULTRA Bandpass Filter	692 ±2.0	46	672-712nm >95% T Average	OD6:520-660nm, 725-900nm; OD5:900-980nm; OD3:250-520nm; OD2:980-1100nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
700-10 OD4 Bandpass Filter	700 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-685nm, 715-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
710-47 OD6 ULTRA Bandpass Filter	710 ±2.0	47	689-731nm >95% T Average	OD6:350-683nm, 737-1000nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
722.5-30 OD6 Bandpass Filter	722.5 ±3.5	30	710-735nm >93% T Average	OD6:360-625nm, 625-691nm, 753-850nm; OD3:300-360nm, 850-1000nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
728-60 OD6 Bandpass Filter	728 ±3.5	60	702-754nm >93% T Average	OD6:350-653nm; OD3:765-960nm	25	2.00	熔融石英 (Fused Silica)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥4,248.00
740.5-35 OD6 ULTRA Bandpass Filter	740.5 ±2.0	35	725-756nm >95% T Average	OD6:360-704nm, 776-850nm; OD3:300-360nm, 850-1000nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
747.5-12 OD6 ULTRA Bandpass Filter	747.5 ±2.0	12	744-751nm >95% T Average	OD6:300-727nm, 768-850nm; OD4:850-925nm; OD2:925-1100nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
780-10 OD4 Bandpass Filter	780 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-765nm, 795-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00

800-25 OD4 Bandpass Filter	800 ±3.0	25 ±3.0	20nm >90% T Average	OD4:200-773nm, 827-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
801.5-50 OD6 ULTRA Bandpass Filter	801.5 ±2.5	50	779-823nm >95% T Average	OD6:360-675nm, 675-756nm, 844-950nm; OD3:300-360nm, 950-1000nm	25	2.00	抛光硼砂 (Polished Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	3.5	¥5,844.00
840-50 OD4 Bandpass Filter	840 ±5.0	50 ±5.0	45nm >90% T Average	OD4:200-800nm, 885-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
850-25 OD4 Bandpass Filter	850 ±3.0	25 ±3.0	20nm >90% T Average	OD4:200-822nm, 878-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
880-10 OD4 Bandpass Filter	880 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-865nm, 895-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
890-50 OD4 Bandpass Filter	890 ±5.0	50 ±5.0	45nm >90% T Average	OD4:200-850nm, 935-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,948.00
900-50 OD4 Bandpass Filter	900 ±5.0	50 ±5.0	45nm >90% T Average	OD4:200-860nm, 945-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
925-50 OD4 Bandpass Filter	925 ±5.0	50 ±5.0	45nm >90% T Average	OD4:200-885nm, 970-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
940-10 OD4 Bandpass Filter	940 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:200-925nm, 955-1200nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00



970-50 OD4 Bandpass Filter	970 ±5.0	50 ±5.0	45nm >90% T Average	OD4:1015-1200nm, 200-930nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
975-50 OD4 Bandpass Filter	975 ±5.0	50 ±5.0	45nm >90% T Average	OD4:1020-1200nm, 200-935nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
1047.5-15 OD4 Bandpass Filter	1047.5 ±2.0	15 ±2.0	Peak >90% T Absolute	OD6:1064.1nm; OD4:1068-1200nm, 200-1027nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,948.00
1050-50 OD4 Bandpass Filter	1050 ±5.0	50 ±5.0	45nm >90% T Average	OD4:1095-1500nm, 200-1010nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
1064-10 OD4 Bandpass Filter	1064 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:1079-1200nm, 200-1049nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥3,288.00
1546-10 OD4 Bandpass Filter	1546 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:1561-1800nm, 200-1531nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥5,808.00
1550-10 OD4 Bandpass Filter	1550 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:1565-1800nm, 200-1535nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥5,808.00
1550-50 OD4 Bandpass Filter	1550 ±5.0	50 ±5.0	45nm >90% T Average	OD4:1595-1800nm, 200-1510nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥5,808.00
1552-10 OD4 Bandpass Filter	1552 ±2.0	10 ±2.0	Peak >90% T Absolute	OD4:1567-1800nm, 200-1537nm	25	3.30	高硼硅玻璃 (Borofloat®)	阳极氧化铝环 (Anodized Aluminum Ring)	5.0	¥5,808.00

5000-500 OD3 Bandpass Filter	5000 ±50.0	500 ±100.0	5000nm >70% T Absolute	OD3:200-4510.5nm, 5510.5-12000nm	23.4	2.00	硅 (Silicon)	Unmounted	/	¥8,724.00
5250-500 OD3 Bandpass Filter	5250 ±50.0	500 ±100.0	5250nm >70% T Absolute	OD3:200-4753nm, 5768-12000nm	23.4	2.00	硅 (Silicon)	Unmounted	/	¥8,724.00
5500-500 OD3 Bandpass Filter	5500 ±50.0	500 ±100.0	5500nm >70% T Absolute	OD3:200-4995.5nm, 625.5-12000nm	23.4	2.00	硅 (Silicon)	Unmounted	/	¥8,724.00
5750-500 OD3 Bandpass Filter	5750 ±50.0	500 ±100.0	5750nm >70% T Absolute	OD3:200-5305.9nm, 6210.9-12000nm	23.4	2.00	硅 (Silicon)	Unmounted	/	¥8,724.00
6000-500 OD3 Bandpass Filter	6000 ±50.0	500 ±100.0	6000nm >70% T Absolute	OD3:200-5480.5nm, 6540.5-12000nm	23.4	2.00	硅 (Silicon)	Unmounted	/	¥8,724.00